



Town of Windsor Locks

Building Department Inspection Report

Effective date Oct. 1 2018



WORK EXEMPT FROM PERMIT

R105.2 Work exempt from permit - Exemption from the permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code or any other laws, statutes, regulations or ordinances of the town, city or borough, or the State of Connecticut. Permits shall not be required for the following work:

Building:

1. One-story detached accessory structures, providing that the floor area does not exceed 200 square feet.
2. Fences not over 7 feet (2134 mm) high. (Fences over 6 Feet not allowed in residential zones in Windsor Locks)
3. Retaining walls that are not over 3 feet (914 mm) in height measured from finished grade at the bottom of the wall to finished grade at the top of the wall, unless supporting a surcharge.
4. Water tanks supported directly upon grade if the capacity does not exceed 5,000 gallons (18927 L) and the ratio of height to diameter or width does not exceed 2 to 1.
5. Sidewalks & driveways and on-grade concrete or masonry patios not more than 30 inches (762 mm) above adjacent grade and not over any basement or story below. (Windsor Locks does require driveway permits from both the Building & Public Works Department)
6. Painting, papering, tiling, carpeting, cabinets, countertops and similar finish work not involving structural changes or alterations.
7. Prefabricated swimming pools that are equal to or less than 24 inches (610 mm) deep.
8. Swings, non-habitable tree houses and other playground equipment.
9. Window awnings supported by an exterior wall which do not project more than 54 inches (1372 mm) from the exterior wall and which do not require additional support.
10. Decks not exceeding 200 square feet in area that are not more than 30 inches above grade at any point, are not attached to a dwelling do not serve the exit door required by Section R311.4.
11. Repairs that are limited to 25 percent of roof covering and building siding within one calendar year.

Electrical:

1. Listed cord-and-plug connected temporary decorative lighting.
2. Reinstallation of attachment plug receptacles and devices but not the outlets therefore.
3. Replacement of branch circuit overcurrent devices of the required capacity in the same location.
4. Electrical wiring, devices, appliances, apparatus or equipment operating at less than 25 volts and not capable of supplying more than 50 watts of energy.
5. Minor repairs and maintenance: A permit shall not be required for minor repair work, including replacement of lamps and fuses or the connection of approved portable electrical equipment to approved permanently installed receptacles.

Gas:

1. Portable heating or cooking appliances with a self-contained fuel supply.
2. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.
3. Portable fuel cell appliances that are not connected to a fixed piping system and are not interconnected to a power grid.

Mechanical:

1. Portable heating appliances with a self-contained fuel supply.
2. Portable ventilation appliances.
3. Portable cooling units.
4. Steam, hot or chilled water piping contained within any heating or cooling equipment regulated by Chapters 18 to 24, inclusive, of this code.
5. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.
6. Portable evaporative coolers.
7. Self-contained refrigerant systems containing 10 pounds (4.54 kg) or less of refrigerant or that are actuated by motors of 1 horsepower (746 W) or less.
8. Portable fuel cell appliances that are not connected to a fixed piping system and are not interconnected to a power grid.

Plumbing:

1. The stopping of leaks in drains, water, soil, waste or vent pipe; provided if any concealed trap, drainpipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work and a permit shall be obtained and inspection made as provided in Sections R105 and R109 of this code.
2. The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures, and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes or fixtures.